



V-TAG 25

CERTIFICATE

Certification Company certifies
that the management system of

VICTOR BUCK SERVICES S.A.


IVY Building
13-15, Parc d'activités
L-8308 Capellen - G.D. Luxembourg

Has been assessed and found to be in acc
with the management system requirem

ISO/CEI 27001:20

Certification scope statement

ation services including electronic and
tent services including digitization s
ence, IT management, human re
relationship management, client s
project management and p
ity versions 4.0 dated fro




Joaneo's NFC variable tag is designed to perform with different ICs supporting the latest standards in NFC and secure IoT applications.

It can be integrated directly into your documents to secure official papers, such as diplomas or certificates. Its small round shape design can also be integrated into smart tickets, or attached to smart packages providing brand protection and grey market control, as well as real-time enhanced user experiences at the tap of NFC-enabled smartphones.

GENERAL SPECIFICATIONS

- Frequency: 13.56 MHz (NFC)
- IC: NTAG 213 TT and NTAG 424 DNA-NFC T2T compliant IC with Tag Tamper feature
- Protocol: ISO/IEC 14443-A communication, NFC Forum Type 2 Tag
- Substrate: Paper (e.g., wood-free cast-coated white high-gloss on one side, 100% PEFC certified) and PET. Alternative substrates are available upon request
- Product available as inlay or antenna only



APPLICATIONS

Authenticated
documents

Advanced anti-
counterfeiting

Trusted offers
for vouchers,
loyalty coupons

Secure
end-to-end
supply-chain
traceability

PRODUCT CHARACTERISTICS

- Antenna material: Conductive silver ink
- Finishing options: Dry inlays, wet inlays to your specific adhesive requirements upon request
- Customization upon request
- Final inspection: 100% tested, faulty tags marked

RFID CHIP SILICON

Operating frequency: 13.56 MHz

Operating temperature range: 25 °C up to +70 °C

Read sensitivity: -21 dBm

Write sensitivity: -16 dBm

Tamper loop detection feature

Automatic NFC counter triggered at read command

AES-128 crypto for NFC web based authentication

MECHANICAL DIMENSION

Antenna Size: 21 mm / 0.83 inch (ø, diameter)

Label Size: 25 mm / 0.98 inch (ø, diameter)

ABOUT US

Joaneo offers NFC and RFID antennas and inlays, printed on paper-based substrates, using an eco-friendly production process. All made in Luxembourg, from design to distribution.



JOANEO BY VICTOR BUCK SERVICES



IVY Building, 13-15, Parc d'Activités
L-8308 Capellen Luxembourg

Rue de l'Industrie,
L-3895 Mondercange Luxembourg



(+352) 49 98 66 1



contact@joaneo.com



www.joaneo.com



The mark of
responsible forestry